




## Factsheet 4: Management of Sexually Transmitted Infections (STIs), as of Asar 2073 (July 2016)

### Background about STIs in Nepal


- ✎ Key interventions for management of STI in Nepal are targeted Behavior Change Communication (BCC), condom promotion and distribution, diagnosis and treatment of STIs (both syndromic and etiological management) and referral services.
- ✎ STI management services are available from Government Health Facilities and NGOs for key population.
- ✎ Nepal has been following WHO recommended approach for the management of STIs in patients with recognized signs and symptoms.
- ✎ The first National STI Case Management Guideline was developed in 1995 and revised in 2014.
- ✎ Repeated Integrated Biological and Behavioral Surveillance (IBBS) Surveys are the main source of information for STI prevalence among key population in Nepal.

**Table 1: Self-reported STIs cases**



Source: Nepal Demographic Health Survey (NDHS) 2006 & 2011

**Figure 1: Annual Reported Cases of STIs through HMIS reporting**



Source: Annual Report, Department of Health Services (DoHS) FY 071/72

**For Further Information Please Contact:**

National Centre for AIDS and STD Control, Teku, Kathmandu

**Phone:** +977 - 1 - 4258219, 4261653, 4262753,


**Fax:** +977 - 1 - 4215 149

**Email:** [data@ncasc.gov.np](mailto:data@ncasc.gov.np)

**Website:** [www.ncasc.gov.np](http://www.ncasc.gov.np)




**Figure 2: Prevalence of Active Syphilis among Female Sex Workers**



Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey

**Figure 3: Prevalence of STI among Female Sex Workers in 22 Terai Highway Districts**



Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey

**For Further Information Please Contact:**

National Centre for AIDS and STD Control, Teku, Kathmandu

**Phone:** +977 - 1 - 4258219, 4261653, 4262753,


**Fax:** +977 - 1 - 4215 149

**Email:** [data@ncasc.gov.np](mailto:data@ncasc.gov.np)

**Website:** [www.ncasc.gov.np](http://www.ncasc.gov.np)




**Figure 4: Prevalence of Active Syphilis among Men who have Sex with Men / Transgender in Kathmandu Valley**




Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey  
 MSW: Male Sex Workers, Non- MSW: Non Male Sex Workers, MSM: Men who have sex with Men

**Figure 5: Prevalence of STI among Men who have Sex with Men / Transgender in Kathmandu Valley**



Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey  
 CT: Chlamydia Trochomatis ; NG: Neisseria Gonorrhoea

**Figure 6: Prevalence of Active Syphilis among People who inject drugs in Kathmandu Valley**



**For Further Information Please Contact:**

National Centre for AIDS and STD Control, Teku, Kathmandu

**Phone:** +977 - 1 - 4258219, 4261653, 4262753,

**Fax:** +977 - 1 - 4215 149

**Email:** data@ncasc.gov.np


**Website:** www.ncasc.gov.np



Government of Nepal  
 Ministry of Health  
**National Centre for AIDS and STD Control**  
 Teku, Kathmandu



**Figure 7: Prevalence of Active Syphilis among People who Inject Drugs**



Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey

SN	Survey Populations	Study Area	Prevalence of Syphilis
1	Female Injecting Drug Users	Kathmandu Valley (2016)	7.5
2	Men who have Sex with Men / Transgender	Terai Highway Districts (2016)	9.4
3	Truckers	Terai Highway Districts (2016)	0.3

Source: Integrated Bio-Behavioural Surveillance (IBBS) Survey

**For Further Information Please Contact:**

National Centre for AIDS and STD Control, Teku, Kathmandu

**Phone:** +977 - 1 - 4258219, 4261653, 4262753,

**Fax:** +977 - 1 - 4215 149

**Email:** [data@ncasc.gov.np](mailto:data@ncasc.gov.np)

**Website:** [www.ncasc.gov.np](http://www.ncasc.gov.np)